Anisometropic Amblyopia

Farjad Karim

1st Year BDS, Islamabad Medical and Dental College, Islamabad, Pakistan

Key points:

- Introduction
- Etiology
- Pathophysiology
- Clinical Features
- Diagnosis
- Management
- Prognosis
- Conclusion

Introduction

Amblyopia is a disorder of the visual cortex characterized by diminished vision in one eye that is not due to any abnormality of the eye itself. [1] It is a result of deprivation of normal visual experience during early childhood that not only leads to reduced functional vision, but also changes in the neural circuitry in the visual cortex. [2]

Among different types of amblyopia, anisometropic is one of the most frequently seen forms. It happens when the two eyes have a very different refractive power, so that two images of different clarity are sent to the brain. As a result, the brain over time gives priority to the clearer image and the weaker eye is effectively suppressed. [1] [3] Early detection is important, as treatment is most effective during childhood when neuroplasticity is highest. [5]

Etiology

The main reason for anisometropic amblyopia is different refractive errors in the two eyes, a condition called anisometropia. [1] Such an imbalance in refraction can be due to:

- Myopic anisometropia
- Hyperopic anisometropia
- Astigmatic differences between both eyes

This causes one retina to get a sharper, clearer image while the other one receives a blurred image, resulting in unequal cortical activation. [2] [3]

Furthermore, a family history of the condition, owing to genetic inclination toward refractive errors and strabismus




Figure 1: *Refractive errors of the eye.* [6]

Pathophysiology

The visual cortex receives signals from both eyes to develop binocular vision and depth perception. [2] Therefore, normal visual development requires both eyes to be equally stimulated during early childhood.

In anisometropic amblyopia, unequal refractive input leads to disruption of this process. At first, the brain gets a clear picture from one eye and a blurred one from the other. Subsequently, to prevent visual confusion, cortical suppression of the weaker eye progressively arises. [2] [5]

This process is mediated by neuroplastic changes in the developing visual system, where unused synaptic pathways weaken over time. [5] As a result:

- Cortical representation of the affected eye decreases
- Binocular integration is impaired
- Stereopsis (depth perception) is reduced

If this occurs during the critical period of visual development, the damage may become partially or completely irreversible. [5]




Figure 2: *Amblyopic and non-amblyopic eye.* [7]

Clinical Features

Anisometropic amblyopia is often asymptomatic and detected during routine screening. [1] Common features include:

- Reduced visual acuity in one eye
- Normal external ocular appearance
- Impaired depth perception
- Preference for using one eye
- In children: squinting or moving closer to objects

Importantly, there is no structural abnormality of the eye itself, distinguishing it from organic causes of visual loss. [1] [4]

Diagnosis

Diagnosis is clinical and based on visual assessment and refractive evaluation.

Key diagnostic steps include:

- Visual acuity testing to detect unilateral reduction
- Refraction testing to identify inter-eye refractive difference
- Cover-uncover test to exclude strabismus
- Fundoscopic examination to rule out retinal or optic nerve pathology

Early screening is emphasized in clinical guidelines due to improved outcomes with early treatment. [4]

Management

Treatment aims to restore visual function by correcting refractive imbalance and stimulating the weaker eye.

- Optical correction

Corrective lenses are used to equalize refractive error between both eyes, improving retinal image quality. [4]

- Occlusion therapy

Patching the dominant eye forces cortical reliance on the weaker eye, promoting neural strengthening and visual recovery. [4] [5]

- Pharmacological penalization

Atropine eye drops may be used in the better-seeing eye to temporarily blur vision and encourage use of the amblyopic eye. [4]

Treatment success depends on compliance and age at initiation, with better outcomes during periods of high neuroplasticity. [5]




Figure 3: *Patching therapy for amblyopia.* [8]

Prognosis

The prognosis is favorable when detected at an early stage. Significant visual improvement is possible during the critical period of visual development due to high cortical plasticity. [5]

However, untreated amblyopia beyond early childhood may lead to permanent visual impairment due to irreversible cortical suppression. [1] [5]

Conclusion

Anisometropic amblyopia is a common neurodevelopmental cause of unilateral visual impairment resulting from unequal refractive error between the two eyes. The condition arises due to cortical suppression of the blurred visual input from the eye with the higher refractive error during the critical period of visual development, which leads to impaired binocular vision. Timely diagnosis and early initiation of refractive correction and occlusion therapy are central to securing favorable visual outcomes. Understanding its neurodevelopmental basis highlights the significance of vision screening in early childhood as a means of averting permanent visual disability. [1] [4] [5]

References

1. Holmes JM, Clarke MP. Amblyopia. Lancet. 2006;367(9519):1343–51.
2. Levi DM. Visual processing in amblyopia: human studies. Strabismus. 2006;14(1):11–9.
3. von Noorden GK, Campos EC. Binocular vision and ocular motility. 6th ed. St. Louis: Mosby; 2002.
4. Wallace DK, Repka MX, Lee KA, Melia M, Christiansen SP, Morse CL, et al. Amblyopia preferred practice pattern. Ophthalmology. 2018;125(1):P105–P142.
5. Birch EE. Amblyopia and binocular vision. Prog Retin Eye Res. 2013;33:67–84.
6. *https://static.wixstatic.com/media/e8b373_add5a234506a49f19a220c630be8166b~mv2.png/v1/fill/w_980,h_732,al_c,q_90,usm_0.66_1.00_0.01,enc_avif,quality_auto/e8b373_add5a234506a49f19a220c630be8166b~mv2.png*
7. *https://nova-sight.com/wp-content/uploads/2022/08/Picture1-1-1.png*
8. *https://da4e1j5r7gw87.cloudfront.net/wp-content/uploads/sites/2470/2022/07/patching.jpg*