From Stroke to Recovery: Healing Through Neuroplasticity

Ayan Siddiqui

1st Year MBBS, Islamabad Medical and Dental College, Islamabad, Pakistan

Key points:

- Introduction
- Mechanism of Neuroplasticity
- Role of Rehabilitation
- Emerging Therapies
- Conclusion

Introduction

Stroke is one of the major causes of neurological disabilities. Stroke has been defined as **"the loss of neurological function as a result of disturbance in brain function, which is due to a lack of blood supply to the brain."**[5] The disturbance in the brain leads to various disabilities depending on the areas of the brain. Recent advances in neuroscience have demonstrated the phenomenon of neuroplasticity.[2]

Neuroplasticity has been defined as "the brain's ability to change its connections and organization as a consequence of changes in brain function."[2] This contributes to the brain's ability to adapt and recover following stroke.[1,4]

Mechanism of Neuroplasticity

Several mechanisms contribute to neuroplasticity and play an important role in recovery after stroke.[1,2] One of these is **synaptic plasticity**, which refers to changes in the strength of connections between brain cells in response to experience and activity.[2] Another mechanism is **axonal sprouting**, in which surviving neurons form new connections to compensate for damaged neural pathways.[1,4]




Figure 1: *Mechanisms of neuroplasticity following stroke.*[2]

Role of Rehabilitation

Rehabilitation plays an important role in promoting recovery after stroke and supporting neuroplasticity. Physiotherapy, occupational therapy, and speech therapy are commonly used to help patients regain movement, daily functional skills, and communication abilities. Studies have shown that repetitive and task-specific exercises can promote neuroplastic changes and improve functional recovery.[1,4,5]

Early rehabilitation is particularly important because the brain undergoes significant neuroplastic changes during the period following stroke. Rehabilitation during this stage may help strengthen new neural connections and support functional recovery.[1,4]




Figure 2*: Functional brain network reorganization during stroke recovery.*[3]

Emerging Therapies

Brain-computer interfaces (BCIs): These devices translate brain signals into commands that can assist movement and rehabilitation after stroke.[6]

Robotic-assisted rehabilitation: Robotic devices provide repetitive and controlled motor exercises to support recovery and promote neuroplastic changes.[5,6]

Non-invasive brain stimulation: Techniques such as transcranial magnetic stimulation and transcranial direct current stimulation can modulate brain activity and may enhance recovery when combined with rehabilitation.[4,6]

Conclusion

Neuroplasticity plays a vital role in functional recovery after stroke by allowing the brain to adapt and reorganize following injury. Rehabilitation, particularly repetitive and task-specific training, can support these neuroplastic changes and improve functional outcomes. Emerging approaches such as BCIs, robotic-assisted therapy, and non-invasive brain stimulation may further enhance stroke recovery.[1,4-6]

References

1. Aderinto N, AbdulBasit MO, Olatunji G, Adejumo T. Exploring the transformative influence of neuroplasticity on stroke rehabilitation: a narrative review of current evidence. Ann Med Surg (Lond). 2023;85(9):4425-4432. doi:10.1097/MS9.0000000000001137.
2. Tataranu LG, Rizea RE. Neuroplasticity and nervous system recovery: cellular mechanisms, therapeutic advances, and future prospects. Brain Sci. 2025;15(4):400. doi:10.3390/brainsci15040400.
3. Wu K, Jelfs B, Neville K, Mahmoud SS, He W, Fang Q. Dynamic reconfiguration of brain functional network in stroke. IEEE J Biomed Health Inform. 2024. doi:10.1109/JBHI.2024.3371097.
4. Ismail UN, Yahya N, Wan Zaidi WA, Law ZK, Abdul Manan H. A systematic review: enhancing stroke recovery through complementary interventions—clinical outcomes and neural activity insights. Front Neurosci. 2024;18:1437130. doi:10.3389/fnins.2024.1437130.
5. Li X, He Y, Wang D, Rezaei MJ. Stroke rehabilitation: from diagnosis to therapy. Front Neurol. 2024;15:1402729. doi:10.3389/fneur.2024.1402729.
6. Kuipers JA, Hoffman NH, Carrick FR, Jemni M, et al. Reconnecting brain networks after stroke: a scoping review of conventional, neuromodulatory, and feedback-driven rehabilitation approaches. Brain Sci. 2025;15(11):1217. doi:10.3390/brainsci15111217.