Vaccine Hesitancy: The Role of Misinformation, Trust, and Cultural Beliefs

Muhammad Saad

1st Year MBBS, Islamabad Medical and Dental College, Islamabad, Pakistan

Key points:

- Current Status of Vaccine Hesitancy
- Main Barriers
- Cultural Context
- Digital Impact of Hesitancy
- Medical Errors
- Solutions

Vaccine Hesitancy

The term vaccine hesitancy is described as the postponement or refusal of vaccines by the public despite the availability of vaccines.[1]

Vaccine hesitancy is a major public health concern and a significant challenge for humanity in current times, as it creates a barrier to preventing and eradicating major diseases such as polio and mumps.

We often consider it to be a lack of knowledge among people, but the main obstacle is the lack of trust in healthcare systems and policies.

Barriers and Safety Concerns

Fear of the side effects of vaccination and doubts about vaccine manufacturing and development are among the most common factors leading individuals to delay vaccination.[2]

One of the modern barriers is that the rapid pace of vaccine development has left individuals feeling uncertain, leading patients to believe that the long-term safety testing of vaccines was skipped to accelerate production.

When an effective vaccine against a specific disease is neglected by the public, people no longer perceive the threat of the illness and come to believe that the vaccine poses a greater risk than the disease itself.[3]

Many people adopt a "wait-and-see" approach by observing how others respond before getting vaccinated themselves.

Low health literacy is also a significant barrier, as targeted populations may have limited scientific understanding and depend on informal knowledge networks, such as community leaders (including religious scholars, teachers, and local leaders), who may lack medical expertise but are trusted by local communities because of cultural norms and values.[4]

Socio-Cultural Myths and Local Resistance

In countries like Pakistan, social superstitions have hindered the success of immunization programs over the years and remain a major public health concern.[4]

During recent vaccination campaigns, rumors that vaccines cause infertility have spread throughout communities, leading to distrust and vaccine hesitancy. Furthermore, certain groups perceive these health campaigns as foreign agendas or external plots,

creating a gap in trust between the public and healthcare professionals.[4]

The Impact of Digital Misinformation: Infodemic

The growing denial of vaccines among the public is also driven by digital misinformation circulated through social media platforms such as Facebook and Twitter. These platforms allow fears related to vaccines to spread faster than scientific evidence.[5]

Psychological studies suggest that the more frequently an individual encounters a false statement, the more likely they are to believe it to be true. On social media platforms such as WhatsApp and TikTok, unverified claims can be forwarded repeatedly. Due to this repetition, such false claims are often perceived as valid.[6]

In addition, social media algorithms prioritize alarming or frightening content because it attracts attention more rapidly than peer-reviewed scientific research.[5] Misinformation leads to the development of negative perceptions, causing individuals to distrust approved medical studies.

These situations result in what is known as an infodemic, which occurs when digital information containing both facts and falsehoods makes it nearly impossible for the public to determine which health advice is trustworthy.[7]

Clinical Negligence

Beyond digital misinformation and social barriers, errors within the healthcare system can also contribute to vaccine hesitancy.

Improper storage of vaccines at incorrect temperatures can result in thermal instability, reducing vaccine effectiveness. In addition, dosage inaccuracies or administration errors may lead to adverse reactions. Such medical errors may reduce public confidence in vaccination and contribute to vaccine refusal.

Furthermore, low health literacy is a significant determinant. Individuals may face linguistic barriers, making it difficult for them to understand or adopt the medical advice and practices recommended by healthcare professionals.

Restoring Public Confidence in Vaccination

Vaccine hesitancy is not only a medical concern but also a social issue. Therefore, addressing it requires collaboration among communities, digital platforms, and the healthcare system.

- Motivational Interviewing: This approach should be adopted, in which healthcare professionals actively listen to and understand patients without judging them. This helps individuals feel comfortable discussing their concerns and allows healthcare providers to address them with empathy and compassion.
- Utilizing Trusted Messengers: An effective way to overcome community distrust is to engage individuals whom the public already trusts. Community leaders should be educated about the importance of immunization so they can help dispel myths and misinformation.[4]
- Digital Pre-bunking: Rather than waiting for misinformation to spread and then attempting to debunk it, healthcare organizations should "pre-bunk" false claims by sharing simple, accurate, and evidence-based information about vaccination on social media platforms. This strategy can reduce the spread and repetition of misleading content.[5]
- Systemic Improvements: Concerns regarding incorrect doses or adverse reactions can be addressed through proper training, adherence to vaccination protocols, and clinical oversight of healthcare professionals to minimize the chances of medical errors. Additionally, the health literacy gap can be reduced by providing educational materials and guidelines in local languages, such as Urdu, Pashto, and Punjabi, ensuring that

reliable medical information is accessible to everyone.

References

1. Lazarus JV, Wyka K, White TM, Picchio CA, Gostin LO, Larson HJ, Rabin K, Ratzan SC, Kamarulzaman A, El-Mohandes A. A survey of COVID-19 vaccine acceptance across 23 countries in 2022. Nat Med. 2023 Feb;29(2):366-375. doi: 10.1038/s41591-022-02185-4. Epub 2023 Jan 9. PMID: 36624316.

2. Chen G, Yao Y, Zhang Y, Zhao F. The impact of risk perception and institutional trust on COVID-19 vaccine hesitancy in China. Hum Vaccin Immunother. 2024 Dec 31;20(1):2301793. doi: 10.1080/21645515.2024.2301793. Epub 2024 Jan 28. PMID: 38282324; PMCID: PMC10826627.

3. Taubert F, Meyer-Hoeven G, Schmid P, Gerdes P, Betsch C. Conspiracy narratives and vaccine hesitancy: a scoping review of prevalence, impact, and interventions. BMC Public Health. 2024 Nov 29;24(1):3325. doi: 10.1186/s12889-024-20797-y. PMID: 39609773; PMCID: PMC11606073.

4. Khan YH, Mallhi TH, Alotaibi NH, et al. Threat of COVID-19 Vaccine Hesitancy in Pakistan: The Need for Measures to Neutralize Misleading Narratives. *The American Journal of Tropical Medicine and Hygiene*. 2020;103(2):603-604. doi:10.4269/ajtmh.20-0654

5. Zimmerman T, Shiroma K, Fleischmann KR, Xie B, Jia C, Verma N, Lee MK. Misinformation and COVID-19 vaccine hesitancy. Vaccine. 2023 Jan 4;41(1):136-144. doi: 10.1016/j.vaccine.2022.11.014. Epub 2022 Nov 14. PMID: 36411132; PMCID: PMC9659512.

6. Tanzer M, Campbell C, Saunders R, Booker T, Luyten P, Fonagy P (2024) The role of epistemic trust and epistemic disruption in vaccine hesitancy, conspiracy thinking and the capacity to identify fake news. PLOS Glob Public Health 4(12): e0003941.

7. World Health Organization. Mainstreaming infodemic management in learning and teaching programmes. Geneva: World Health Organization; 2024.